


# i 42 DKEL

## The first with two ball ends



- Two ball ends and an extra short angle side for working optimally in confined spaces
- Positive or negative inclination produces a possible 50° angle of approach (+/- 25°) to the screw axis
- Projecting hindrances can be got round with the two ball ends - rapid work is the outcome
- The GEDORE vanadium steel 59CRV4 with its high manganese share ensures the screwdriver has that strength needed

### H 42 CKEL-09

Hexagon socket key set color-coded




- > Colour coding simplifies the assignment of the correct key width
- > Ball head enables screwing in places that are difficult to access
- > Key easily removable
- > Abrasion-resistant powder-coated

Code	No.	Contents	Pieces	
3297470	H 42 CKEL-09	42 CKEL 1,5 2,2,5 3 4 5 6 8 10	9	0,415

### H 42 DKEL-88

Hexagon socket key set for in-hex screws, extra long, double ball end





- > Most used sizes combined in a set
- > 2 ball heads and extra short angle side

Code	No.	Contents	Pieces	
2797186	H 42 DKEL-88	42 DKEL 2 2,5 3 4 5 6 8 10	8	0,4

### 42 DKEL

Offset screwdriver for in-hex screws, extra long, double ball end




- > 2 ball heads and extra short angle side

Code	No.		L1	L2	
2797062	42 DKEL 1,5	1,5	89	7,5	0,003
2797089	42 DKEL 2	2,0	102	9	0,004
2797097	42 DKEL 2,5	2,5	115	10	0,006
2797100	42 DKEL 3	3,0	129	11,5	0,010
2797119	42 DKEL 4	4,0	144	14,5	0,018
2797127	42 DKEL 5	5,0	165	16,5	0,050
2797135	42 DKEL 6	6,0	186	19	0,060
2797143	42 DKEL 7	7,0	197	20,5	0,070
2797151	42 DKEL 8	8,0	205	22	0,090
2797178	42 DKEL 10	10,0	227	28	0,160

**42 KEL**

Hexagon socket key for in-hex screws, extra long, with ball end




- > Chrome vanadium steel 59CrV4, chrome-plated

Code	No.		L1	L2	
<b>1563556</b>	42 KEL 1,5	1,5	91,5	15,5	0,003
<b>6370090</b>	42 KEL 2	2,0	102	18	0,004
<b>6370170</b>	42 KEL 2,5	2,5	114,5	20,5	0,006
<b>6370250</b>	42 KEL 3	3,0	129	23	0,010
<b>6370330</b>	42 KEL 4	4,0	144	29	0,019
<b>6370410</b>	42 KEL 5	5,0	165	33	0,033
<b>6370680</b>	42 KEL 6	6,0	186	38	0,053
<b>1729241</b>	42 KEL 7	7,0	197	41	0,076
<b>6370760</b>	42 KEL 8	8,0	208	44	0,103
<b>6370840</b>	42 KEL 10	10,0	234	50	0,234
<b>6370920</b>	42 KEL 12	12,0	262	57	0,287

**H 42 KEL-88**

Hexagon socket key set for in-hex screws, extra long, with ball end



- > Metric
- > Chamfered nose ends facilitate insertion into the screw head

Code	No.	Contents	Pieces	
<b>1523988</b>	H 42 KEL-88	42 KEL 2,2,5 3 4 5 6 8 10	8	0,415

**H 42 EL-88**

Hexagon socket key set for in-hex screws, extra long



- > Most used sizes combined in a set
- > Acc. to DIN ISO 2936

Code	No.	Contents	Pieces	
<b>1505416</b>	H 42 EL-88	42 2,2,5 3 4 5 6 8 10 mm	8	0,425

**H 42 EL-88 A**

Hexagon socket key set for in-hex screws, extra long




- > Most used sizes in a set

Code	No.	Contents	Pieces	
<b>1543555</b>	H 42 EL-88 A	42 5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 inch	8	0,3

**42 EL (MM)**

Offset screwdriver for in-hex screws, extra long




- > Acc. to DIN ISO 2936

Code	No.			L1	L2	
<b>6350810</b>	42 EL 2	2,0	5/64"	102	18	0,004
<b>6351030</b>	42 EL 2,5	2,5		114,5	20,5	0,007
<b>6351110</b>	42 EL 3	3,0		129	23	0,010
<b>6351380</b>	42 EL 4	4,0		144	29	0,019
<b>6351460</b>	42 EL 5	5,0		165	33	0,033
<b>6351540</b>	42 EL 6	6,0		186	38	0,054
<b>2977486</b>	42 EL 7	7,0		194	41	0,070
<b>6351620</b>	42 EL 8	8,0		208	44	0,104
<b>6351700</b>	42 EL 10	10,0		234	50	0,194
<b>6351890</b>	42 EL 12	12,0		262	57	0,293
<b>6351970</b>	42 EL 14	14,0		294	70	0,453

## Screwdrivers

### 42 EL (AF)

Offset screwdriver  
for in-hex screws,  
extra long



Code	No.			L1	L2	
6350810	42 EL 2	2,0	5/64"	102	18	0,004
1543377	42 EL 3/32AF		3/32"	114,5	20,5	0,006
1543318	42 EL 1/8AF		1/8"	129	23	0,011
1543326	42 EL 5/32AF		5/32"	144	29	0,019
1543334	42 EL 3/16AF		3/16"	165	33	0,030
1543342	42 EL 7/32AF		7/32"	186	38	0,047
1543369	42 EL 1/4AF		1/4"	197	41	0,065
1543350	42 EL 5/16AF		5/16"	208	44	0,103
1543385	42 EL 3/8AF		3/8"	234	50	0,167
1543393	42 EL 1/2AF		1/2"	277	63	0,355
1543407	42 EL 9/16AF		9/16"	294	70	0,475

### PH 42-88

Hexagon allen  
key set  
for in-hex screws



> Most used sizes in a set

Code	No.	Contents	Pieces	
6352000	PH 42-88	42 2 2,5 3 4 5 6 8 10	8	0,245

### H 42-10

Hexagon socket  
key set  
for in-hex screws



> Most used sizes in a set  
> Acc. to DIN ISO 2936

Code	No.	Contents	Pieces	
1505408	H 42-10	42 1,3 1,5 2,2 5 3 4 5 6 8 10 mm	10	0,259

### 42 (MM)

Hexagon socket  
key set  
for in-hex screws




> Most used sizes in a set

Code	No.	Contents	Pieces	
6347510	42-07	42 2(5/64AF) 2,5 3 4 5 6 8	7	0,144
6349050	42-70	42 2,5 3 4 5 6 8 10	7	0,254
6347780	42-08	42 3 4 5 6 8 10 12 14	8	0,716
6347860	42-09	42 2(5/64AF) 2,5 3 4 5 6 7 8 10	9	0,297

### 42 (MM)

Hexagon socket key  
for in-hex screws




> Acc. to DIN ISO 2936  
\* not standardised

Code	No.			L1	L2	
6342200	42 0,7	0,7		33	7	0,001
6342390	42 0,9	0,9		33	11	0,001
6342470	42 1,3	1,3		41	13	0,001
6340260	42 1,5	1,5		46,5	15,5	0,001
6340340	42 2	2,0	5/64"	52	18	0,002
6340420	42 2,5	2,5		58,5	20,5	0,004
6340500	42 3	3,0		66	23	0,006
6340690	42 4	4,0		74	29	0,011
6340770	42 5	5,0		85	33	0,019
6344840*	42 7/32AF	5,5	7/32"	82	32	0,022
6340850	42 6	6,0		96	38	0,031
6340930*	42 7	7,0		102	41	0,044
6341070	42 8	8,0		108	44	0,061
6341150*	42 9	9,0		114	47	0,081
6341230	42 10	10,0		122	50	0,106
6341310	42 12	12,0		137	57	0,169
6341580	42 14	14,0		154	70	0,266
6341660	42 17	17,0		177	80	0,430

Code	No.	⬡	⬡	L1	L2	⚖️
6341740	42 19	19,0		199	89	0,602
6341820	42 22	22,0		222	102	0,907
6341900	42 24	24,0		248	114	1,211
6342550	42 27	27,0		277	127	1,711
6342630	42 30	30,0		315	142	2,423
6342710	42 32	32,0		347	157	3,010

### H 42-88 A

Hexagon socket key set for in-hex screws



> Most used sizes in a set

Code	No.	Contents	Pieces	⚖️
1505424	H 42-88 A	42 5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 inch	8	0,172

### 42 A (AF)

Hexagon socket key set for in-hex screws




> Most used sizes in a set

Code	No.	Contents	Pieces	⚖️
6348750	42-07 A	42 2(5/64AF) 3/32AF 1/8AF 5/32AF 3/16AF 7/32AF(5,5MM) 1/4AF	7	0,103
6348830	42-08 A	42 1/8AF 5/32AF 3/16AF 1/4AF 5/16AF 3/8AF 1/2AF 9/16AF	8	0,731
6348910	42-09 A	42 2(5/64AF) 3/32AF 1/8AF 5/32AF 3/16AF 7/32AF(5,5MM) 1/4AF 5/16AF 3/8AF	9	0,257

### 42 (AF)


Hexagon socket key for in-hex screws



Code	No.	⬡	⬡	L1	L2	⚖️
6342120	42 3/64AF		3/64"	41	13	0,002
6342040	42 1/16AF		1/16"	46,5	15,5	0,002
6344330	42 3/32AF		3/32"	56,5	20,5	0,004
6340340	42 2	2,0	5/64"	52	18	0,002
6344410	42 1/8AF		1/8"	60	23	0,006
6344680	42 5/32AF		5/32"	67	26	0,010
6344760	42 3/16AF		3/16"	73	30	0,015
6344840	42 7/32AF		7/32"	82	32	0,022
6344920	42 1/4AF		1/4"	92	36,5	0,035
6345060	42 5/16AF		5/16"	102	43	0,056
6345140	42 3/8AF		3/8"	115	49	0,094
6345220	42 1/2AF		1/2"	142	61	0,205
6345300	42 9/16AF		9/16"	154	66	0,274
6345490	42 5/8AF		5/8"	168	76	0,376
6345570	42 3/4AF		3/4"	199	89	0,309

### 42 Z

Hexagon socket key with pin for in-hex screws



> Acc. to DIN 6911

\* not standardised

Code	No.	⬡	L1	⚖️
6342980	42 Z 3	3	63	0,006
6343010	42 Z 4	4	70	0,010
6343280	42 Z 5	5	80	0,019
6343360	42 Z 6	6	90	0,031
6343440*	42 Z 7	7	95	0,042
6343520	42 Z 8	8	100	0,058
6343600	42 Z 10	10	112	0,100
6343790	42 Z 12	12	125	0,162

## Screwdrivers

### SCL 42-70

Hexagon socket key set for in-hex screws



- > Most used sizes in a set
- > In robust metal clip

Code	No.	Contents	Pieces	
6347350	SCL 42-70	2,5 3 4 5 6 8 10	7	0,36

### SCL 42-90 A

Hexagon socket key set for in-hex screws



- > Most used sizes in a set
- > In robust metal clip

Code	No.	Contents	Pieces	
6354800	SCL 42-90 A	5/64 3/32 7/64 1/8 9/64 5/32 3/16 7/32 1/4	9	0,26

### SCL 43 TX-80

Hexagon socket key set for recessed TX head screws




- > Most used sizes in a set
- > In robust metal clip

Code	No.	Contents	Pieces	
6346460	SCL 43 TX-80	TX T9 T10 T15 T20 T25 T27 T30 T40	8	0,286

### 42 X

Hexagon socket key for multi-point screws XZN




- > Acc. to DIN 65253, tips according to DIN 2325
- > Vanadium steel 50CrV4, chromated

Code	No.		L1	L2	
1531212	42 X 4	M4	63	20	0,009
6350570	42 X 14	M14	139	59	0,191
6350730	42 X 18	M18	178	81	0,333

### 43

Hexagon socket key for multi-spline screws RIBE®



- > Vanadium steel 50CrV4, chromated
- > RIBE® = reg. trademark of Richard Bergner GmbH & Co. KG, Schwabach

Code	No.		L1	L2	
6352350	43 6	M6	80	28	0,025
6352430	43 8	M8	90	32	0,049
6352860	43 14	M14	125	45	0,203

### H 43 TX

Hexagon socket key set for recessed TX head screws



- > In blue plastic holder (LPDE)
- > chrome vanadium steel 50CrV4, burnished


Code	No.	Contents	Pieces	
1531417	H 43 TX-09	43 TX T7 T8 T9 T10 T15 T20 T25 T30 T40	9	0,120
1531425	H 43 TX-88	43 TX T9 T10 T15 T20 T25 T27 T30 T40	8	0,129
1531433	H 43 TX-08	43 TX T10 T15 T20 T25 T27 T30 T40 T45	8	0,168

**43 TX-09**

Hexagon socket key set for recessed TX head screws



- > Most used sizes in a set
- > In blue PVC wallet




Code	No.	Contents	Pieces	
<b>6360960</b>	43 TX-09	43 TX T7 T8 T9 T10 T15 T20 T25 T30 T40	9	0,115

**43 TX**

Hexagon socket key for recessed TX head screws



- > Chrome vanadium steel 50CrV4, burnished



Code	No.				L1	L2	
<b>6365090</b>	43 TX T55	T55	M12	11,22 mm	108	35	0,122
<b>6365170</b>	43 TX T60	T60	M14	13,25 mm	120	38	0,187

**H 43 KTX-07**

Hexagon socket key set for recessed TX head screws



- > With ball end



Code	No.	Contents	Pieces	
<b>1531441</b>	H 43 KTX-07	43 KTX T10 T15 T20 T25 T27 T30 T40	7	0,169

**708**

TX Gauge



- > Easy identification of TX sizes, internal E4-E16, external T10-T60



Code	No.	Contents	Pieces	
<b>1394428</b>	708	E4 - E16 T10 - T60	12	0,022

**149**

Magnetizer and demagnetizer



- > Magnetizes or demagnetizes screwdrivers, tweezers and similar tools made from steel



Code	No.	L	H	W	
<b>6416500</b>	149	52	26	50	0,088

**156 S**

Square bladed awl

- > Blue handle with hanging hole



Code	No.			
<b>6424520</b>	156 S	100	200	0,084